

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Cai, Wenli et al. Docket: 8095-12
Serial No.: 10/580,774
Filed: May 26, 2006
For: **SYSTEM AND METHOD FOR VASCULAR VISUALIZATION
USING PLANAR REFORMATION OF VASCULAR CENTRAL
AXIS SURFACE WITH BICONVEX SLAB**

MAIL STOP MISSING PARTS

Commissioner for Patents
PO Box 1450
Alexandria VA 22313-1450

**RESPONSE TO NOTIFICATION OF MISSING
REQUIREMENTS UNDER 35 U.S.C. 371**

Sir:

In response to the Notification of Missing Requirements Under 35 U.S.C. 371 dated February 13, 2007, Applicant encloses herewith a properly executed original Declaration and Power of Attorney in compliance with 37 C.F.R. §1.63, along with a copy of the Notification of Missing Requirements Under 35 U.S.C. 371.

In the event any additional fees or extensions of time are required, please treat this paper as a petition to extend the time as required and charge Deposit Account No. 50-0679. **TWO (2) COPIES OF THIS SHEET ARE ENCLOSED.**

Respectfully submitted,



Frank V. DeRosa
Registration No. 43,584
Attorney for Applicant(s)

F. CHAU & ASSOCIATES, LLC
130 Woodbury Road
Woodbury, New York 11797
(516) 692-8888
(516) 692-8889 (FAX)